MICROS Retail Product Catalogue

MICROS Retail Cash Cassettes and Cash Drawers

October 2013

Content

MICROS Retail Cash Cassettes and Cash Drawers 3
MICROS Retail Euro Cash Cassette and Base 4
MICROS Retail Standard Cash Cassette and Base 6
MICROS Retail Universal Cash Cassette (UCC) 8
MICROS Retail Cash Cassette TC 4616 and Base 10
MICROS Retail Universal Cash Drawer (UCD) and Release Unit 12
Component Parts and Options for Cash Cassettes and Drawers 14
Connection Cable for Cash Cassettes and Drawers 18

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Cash Cassettes and Cash Drawers

Proven in practice in thousands of checkouts, MICROS Retail cash drawers and cash cassettes deliver unrivalled functionality at the POS. The user-friendly, versatile, rugged and robust products meet the needs of the retail sector, including wear-and-tear applications such as self-service. They guarantee a high level of security and facilitate fast and simple removal of the cash inserts. The plastic material used is eco-friendly, durable and easy to recycle.

Cash cassettes and cash drawers from MICROS offer:

- Improved security at the POS workplace.
- Fast and uncomplicated removal from the main POS.
- Flexibility for all currencies (for international use).
- Comfortable cashing.

Order requirements:

In order to ensure the functionality of the cash cassettes and cash drawers at the checkout different hardware components are required. Please note the following when placing orders:

1. If a cash cassette or drawer needs to be electrically connected to a checkout, you will need the following components:

- A cash cassette or drawer of your choice
- A release unit (for cash drawers) or a base (for cash cassettes) with the correct voltage (12V, 24V or 36V)
- A suitable connection cable
- Other component parts/options e.g. coin cups, security lock, etc.

For information on which connection cable and option is suitable for which cash cassette or drawer, see chapter “Component parts and options” on p. 14 and chapter “Connection cable” on p. 18.

2. If the cash cassette or drawer is intended to be opened manually and not electrically, you will not need a connection cable.

Orders

To place an order, please call directly the order fulfillment department at +49 (0)30 49901-240 or send an e-mail to de-order.retail@micros.com.

Contact

If you have any further questions please do not hesitate to contact us. We look forward to your call +49 (0)30 49901-0 or your e-mail (de-contact.retail@micros.com).

All prices in this catalogue are in Euros and exclude VAT. Products are sold to commercial customers only. MICROS’ conditions apply. Warranty claims are limited to one year.

All details as stated in this document comply with the technical standard that is applicable at the date of printing. Subject to modifications and errors. No liability is taken for errors, printing errors and changes in prices.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Euro Cash Cassette and Base

More space for notes and receipts

The Euro Cash Cassette is compatible with all common POS systems.
The coin and note compartments can be arranged flexibly. The cassette is equipped with eight coin compartments and six note compartments. There is an additional compartment for receipts, which can be accessed from the outside using the drop-in slit. This configuration can accommodate any currency.

Product Features:	Scope of Delivery:
▪ Electronically opened by the POS system ▪ The lock is shipped with up to 50 different lock combinations ▪ Safety lock available as an optional expansion ▪ The base contains an electronic release unit ▪ Easy removal by pressing the release button ▪ 8 coin and 6 note compartments ▪ Receipt compartment accessible from the outside for easy insertion of receipts	Unless the product description states otherwise, all Euro Cash Cassettes are delivered with: ▪ Standard lock (closure 1) ▪ Manufacturer logo ▪ 8 coin and 6 note compartmens ▪ Material: plastic The Euro Cash Cassette is delivered without a base by default. The base is a separate order option.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Specifications		
Dimensions		482 mm x 100 mm x 175 mm (WxHxD)
Weight	**Cash Cassette**	approx. 1.9 kg
	Base	approx. 0.5 kg
Colours		Light grey: RAL 9002
		Anthracite: RAL 7021
Electric models		12V, 24V, 36V, customised models
Connection socket at the base		5-pin DIN socket

Order number	Product description	Colour
Cash Cassette		
16101.150-0120	Euro Cash Cassette with standard lock (closure 1)	anthracite, RAL 7021
16101.150-0150	Euro Cash Cassette with standard lock (closure 1)	light grey, RAL 9002
16101.150-0121	Euro Cash Cassette with lock, 50 different closures (1-50 mixed)	anthracite, RAL 7021
16101.150-0151	Euro Cash Cassette with lock, 50 different closures (1-50 mixed)	light grey, RAL 9002
16101.276-0120	Euro Cash Cassette without lock	anthracite, RAL 7021
16101.276-0150	Euro Cash Cassette without lock	light grey, RAL 9002
16101.342-0120	Euro Cash Cassette with stainless steel cover plate	anthracite, RAL 7021
16101.342-0150	Euro Cash Cassette with stainless steel cover plate	light grey, RAL 9002
Base		
16101.151-0000	Base for Euro Cash Cassette, 12V, DIN plug, without cable	–
16101.185-0000	Base for Euro Cash Cassette, 24V, DIN plug, without cable	–
16101.185-0003	Base for Euro Cash Cassette, 24V, 3.0 m cable	–
16101.186-0000	Base for Euro Cash Cassette, 36V, DIN plug, without cable	–
16101.244-0001	Base for Euro Cash Cassette, EPSON, 3.0 m cable	–
16101.273-0000	Base for Euro Cash Cassette, designed for IBM POS systems, 24V with SDL connector with 3.2 m cable	–
16101.207-0001	Base for Euro Cash Cassette, designed for IBM POS systems, 24V with SDL connector with 3.2 m cable	–
16101.208-0000	Base for Euro Cash Cassette, with USB-pin, without cable	–
16101.267-0200	Base for Euro Cash Cassette, with electronics, 2.0 m cable and extension	–
16101.286-0000	Base for Euro Cash Cassette, designed for TEC POS systems, with electronics in the base, 2.0 m cable	–
16101.286-0001	Base for Euro Cash Cassette, designed for TEC POS systems, with electronics in the base, 5.0 m cable	–

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Standard Cash Cassette and Base

Ideal for use with different European currencies

The spacious Standard Cash Cassette can be used with a large number of POS systems and can accommodate any type of notes and coins. It is equipped with eight removable coin compartments and four compartments for notes and receipts. Removing two coin compartments increases the number of available note compartments to five.



Product Features:	Scope of Delivery:
▪ Electronically opened by the POS system ▪ The lock is shipped with up to 50 different lock combinations ▪ The base contains an electronic release unit ▪ Easy removal by pressing the release button ▪ 8 coin and 6 note compartments ▪ Robust, environmentally friendly and durable plastic ▪ Ideal for use with different European currencies	Unless the product description states otherwise, all Standard Cash Cassettes are delivered with: ▪ Standard lock (closure 1) ▪ Manufacturer logo ▪ 8 coin and 6 note compartments ▪ Material: plastic The Standard Cash Cassette is delivered without a base by default. The base is a separate order option.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Specifications		
Dimensions		459 mm x 100 mm x 155 mm (WxHxD)
Weight	**Cash Cassette**	approx. 1.7 kg
	Base	approx. 1.4 kg
Colours		Light grey: RAL 9002
		Anthracite: RAL 7021
Electric models		12V, 24V, 36V, customised models
Connection socket at the base		5-pin DIN socket

Order number	Product description	Colour
Cash Cassette		
16101.110-0120	Standard Cash Cassette with standard lock (closure 1)	anthracite, RAL 7021
16101.110-0150	Standard Cash Cassette with standard lock (closure 1)	light grey , RAL 9002
16101.110-0123	Standard Cash Cassette with lock, 50 different closures (1-50 mixed)	anthracite, RAL 7021
16101.110-0155	Standard Cash Cassette with lock, 50 different closures (1-50 mixed)	light grey , RAL 9002
16101.111-0120	Standard Cash Cassette without lock	anthracite, RAL 7021
16101.111-0150	Standard Cash Cassette without lock	light grey , RAL 9002
16101.720-0120	Standard Cash Cassette with stainless steel cover plate	anthracite, RAL 7021
16101.720-0150	Standard Cash Cassette with stainless steel cover plate	light grey , RAL 9002
16101.321-0120	Standard Cash Cassette with interlock*	anthracite, RAL 7021
16101.321-0150	Standard Cash Cassette with interlock*	light grey , RAL 9002
Base		
16101.278-0000	Base for Standard Cash Cassette, 12V, DIN socket, without cable	–
16101.277-0000	Base for Standard Cash Cassette, 24V, DIN socket, without cable	–
16101.296-0003	Base for Standard Cash Cassette, 36V, DIN socket, without cable	–
16101.129-0000	Base for Standard Cash Cassette, with USB-pin, without cable	–
16101.089-0201	Base for Standard Cash Cassette, designed for IBM POS systems, 36V with SDL connector with 3.2 m cable	–
16101.272-0100	Base for Standard Cash Cassette, designed for IBM POS systems, 24V with SDL connector with 3.2 m cable	–

* Interlock = Case option, that blocks the lock when the cash cassette is installed at the POS workplace.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Universal Cash Cassette (UCC)

With standard dimensions for all common POS systems

The UCC and its robust metal casing improve POS security, and the interior plastic cassette offers flexibility when it comes to arranging the coin and note compartments and the separate receipt compartment. The lid of the interior cassette can be locked, providing additional protection to the contents during transport.

Product Features:	Scope of Delivery:
▪ Electronically opened by the POS system ▪ The lock is shipped with up to 50 different lock combinations ▪ The outer cassette contains an electronic release unit ▪ Interior cassette with lockable lid for changing cashier staff ▪ Easy removal of the interior cassette through retractable handles ▪ Flexible arrangement of the coin and note compartments ▪ Separate base plate	When the product description does not state otherwise, all Universal Cash Cassettes are delivered with: ▪ Base ▪ Manufacturer logo ▪ Material: metal (outside), plastic (inside) The Universal Cash Cassette is delivered without an interior cassette by default. The interior cassette is a separate order option.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Specifications		
Dimensions of exterior cassette		460 mm x 100 mm x 172 mm (WxHxD)
Weight	**Exterior cassette**	2.95 kg
	Interior cassette	1.23 kg
	Base	0.66 kg
Colours		Light grey: RAL 9002
		Anthracite: RAL 7021
Electric models		12V, 24V, 36V, customised models
Connection socket (exterior cassette)		5-pin DIN socket

Order number	Product description	Colour
Cash Cassette		
16400.502-0020	Cash Cassette UCC without lock, 24V	anthracite, RAL 7021
16400.502-0050	Cash Cassette UCC without lock, 24V	light grey, RAL 9002
16400.507-0020	Cash Cassette UCC with standard lock (closure 1), 24V	anthracite, RAL 7021
16400.507-0050	Cash Cassette UCC with standard lock (closure 1), 24V	light grey, RAL 9002
16400.500-0020	Cash Cassette UCC without lock, with special diode connection to IBM POS systems, 24V	anthracite, RAL 7021
16400.500-0050	Cash Cassette UCC without lock, with special diode connection to IBM POS systems, 24V	light grey, RAL 9002
16400.600-0020	Cash Cassette UCC without lock, with special diode for SDL cable to IBM POS systems, 24V	anthracite, RAL 7021
16400.600-0050	Cash Cassette UCC without lock, with special diode for SDL cable to IBM POS systems, 24V	light grey, RAL 9002
16400.501-0020	Cash Cassette UCC, exterior case 12V	anthracite, RAL 7021
16400.501-0050	Cash Cassette UCC, exterior case 12V	light grey, RAL 9002
Money insert / Interior cassette		
16400.350-0020	Money insert with standard lock (closure 102)	anthracite, RAL 7021
16400.350-0021	Money insert with lock, different closures	anthracite, RAL 7021

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Cash Cassette TC 4616 and Base

Flexible, secure and ready for the international market

The TC 4616 offers a robust ABS casing coupled with an adjustable insert. Movable side panels allow the retailers or hospitality providers to create a variety of coin compartment sizes, making the TC 4616 suitable for any currency. Standard note compartments may be placed on either the left or right side to accommodate the 'check-out' policy, while large denomination notes, receipts or coupons can be stored in a separate space below the coin compartments for additional security.



Product Features:	Scope of Delivery:
▪ Electronically opened by the POS system ▪ The lock is shipped with up to 50 different lock combinations ▪ Safety lock available as an optional expansion ▪ The base contains an electronic release unit ▪ Easy removal by pressing the release button ▪ Secure storage below the coin insert ▪ Maximum lid opening close to 90°, opening speed remains constant ▪ Flexible arrangement of the coin and note compartments ▪ Ideal for use with different European currencies ▪ Robust, environmentally friendly and durable plastic ▪ The Cash Cassette TC 4616 fits to all base options of the Standard Cash Cassette	Unless the product description states otherwise, all TC 4616 are delivered with: ▪ Standard lock (closure 1) ▪ Manufacturer logo ▪ 8 coin and 6 note compartments ▪ Material: plastic The TC 4616 is delivered without a base by default. The base is a separate order option.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Specifications		
Dimensions		460 mm x 100 mm x 160 mm (WxHxD)
Weight	**Cash Cassette**	2.0 kg
	Base	1.4 kg
Colours		Light grey: RAL 9002
		Anthracite: RAL 7021
Electric models		12V, 24V, 36V, customised models
Connection socket at the base		5-pin DIN socket

Oder number	Product description	Colour
Cash Cassette		
16500.225-0020	Cash Cassette TC 4616, fixed position of money inserts, backward compatible with Standard Cash Cassette	anthracite, RAL 7021
16500.225-0050	Cash Cassette TC 4616, fixed position of money inserts, backward compatible with Standard Cash Cassette	light grey, RAL 9002
16500.226-0020	Cash Cassette TC 4616, coin and note inserts interchangeable	anthracite, RAL 7021
16500.226-0050	Cash Cassette TC 4616, coin and note inserts interchangeable	light grey, RAL 9002
16500.226-0021	Cash Cassette TC 4616 with lock, fixed position of money inserts, 50 different closures (1-50 mixed)	anthracite, RAL 7021
16500.226-0051	Cash Cassette TC 4616 with lock, fixed position of money inserts, 50 different closures (1-50 mixed)	light grey, RAL 9002
16500.226-0027	Cash Cassette TC 4616 with lock (closure 50), coin and note inserts interchangeable	anthracite, RAL 7021
16500.226-0057	Cash Cassette TC 4616 with lock (closure 50), coin and note inserts interchangeable	light grey, RAL 9002
Base		
16500.001-0000	Base for Cash Cassette TC 4616, 24V, DIN plug, without cable	–
16500.001-1000	Base for Cash Cassette TC 4616, 24V, 3.0 m cable	–
16500.002-0000	Base for Cash Cassette TC 4616, designed for IBM POS systems, 24V with SDL connector, 3.2 m cable	–

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

MICROS Retail Universal Cash Drawer (UCD) and Release Unit

Space-saving storage and increased security during transport

The Universal Cash Drawer (UCD) is a globally established product in all areas of retail and hospitality.
It is user friendly, versatile, robust and durable – even in demanding environments like self-service.

Product Features:	Scope of Delivery:
▪ Compatible with all POS systems ▪ Electronically opened by the POS system ▪ Electronic release unit ▪ Exchangeable release technology ▪ Removable and foldable coin insert improves handling ▪ Flexible arrangement of coin and note compartments ▪ Receipt compartment accessible from the outside ▪ Ideal for use with different currencies ▪ The lock is shipped with up to 50 different lock combinations ▪ Robust, environmentally friendly and durable plastic	Unless the product description states otherwise, all drawers are delivered with: ▪ Standard lock (closure 1) ▪ Manufacturer logo ▪ 8 coin and 4 note compartments ▪ Material: plastic The Universal Cash Drawer is delivered without a release unit by default. The release unit is a separate order option.

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Specifications	
Dimensions	385 mm x 95 mm x 435 mm (WxHxD)
Weight	4.75 kg
Colours	Light grey: RAL 9002
	Anthracite: RAL 7021
Electric models	12V, 24V, 36V, customised models
Connection socket (exterior cassette)	5-pin DIN socket

Order number	Product description	Colour
Cash Drawer		
08512.500-0020	Cash Drawer UCD with standard lock (closure 1)	anthracite, RAL 7021
08512.500-0050	Cash Drawer UCD with standard lock (closure 1)	light grey, RAL 9002
08512.500-9920	Cash Drawer UCD with lock, 50 different closures (1-50 mixed)	anthracite, RAL 7021
08512.500-9950	Cash Drawer UCD with lock, 50 different closures (1-50 mixed)	light grey, RAL 9002
08512.608-0020	Cash Drawer UCD with release unit 24V and connection cable CBL1002 (Lanmark)	anthracite, RAL 7021
08512.608-0050	Cash Drawer UCD with release unit 24V and connection cable CBL1002 (Lanmark)	light grey, RAL 9002
08512.620-0020	Cash Drawer UCD with release unit 12V and connection cable Epson 3.0 m	anthracite, RAL 7021
08512.620-0050	Cash Drawer UCD with release unit 12V and connection cable Epson 3.0 m	light grey, RAL 9002
08512.621-0020	Cash Drawer UCD with release unit 24V and connection cable Epson 3.0 m	anthracite, RAL 7021
08512.621-0050	Cash Drawer UCD with release unit 24V and connection cable Epson 3.0 m	light grey, RAL 9002
Release Unit		
08512.550-0020	Release unit for Cash Drawer UCD, 12V, DIN plug	anthracite, RAL 7021
08512.550-0020	Release unit for Cash Drawer UCD, 12V, DIN plug	light grey, RAL 9002
08512.551-0020	Release unit for Cash Drawer UCD, 24V, DIN plug	anthracite, RAL 7021
08512.551-0050	Release unit for Cash Drawer UCD, 24V, DIN plug	light grey, RAL 9002
08512.552-0020	Release unit for Cash Drawer UCD, 36V, DIN plug	anthracite, RAL 7021
08512.552-0050	Release unit for Cash Drawer UCD, 36V, DIN plug	light grey, RAL 9002
08512.563-0020	Release unit for Cash Drawer UCD, designed for Mettler-Toledo POS systems	anthracite, RAL 7021
08512.555-0000	Release unit for Cash Drawer UCD, designed for Bizerba, with electronics in release unit	–
08512.562-0020	Release unit for Cash Drawer UCD, 36V, designed for IBM POS systems, with diode	anthracite, RAL 7021
08512.560-0020	Release unit for Cash Drawer UCD, 24V, designed for IBM POS systems, with diode	light grey, RAL 9002
08512.553-0020	Release unit for Cash Drawer UCD, with USB plug	anthracite, RAL 7021
08512.553-0050	Release unit for Cash Drawer UCD, with USB plug	light grey, RAL 9002

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Component Parts and Options for Cash Cassettes and Drawers

For each cash cassette and drawer, there are different options such as safety locks, money clips, cassette openers, money inserts and many more.
The following table shows which options are compatible with which products.

			Can be used for					
	Product description	**Colour**	**Euro Cash Cassette**	**Standard Cash Cassette**	**Universal Cash Cassette (UCC)**	**Cash Cassette TC 4616**	**Universal Cash Drawer (UCD)**	**Order number**
	Note holder, plastic, adhesive - Holds notes until the end of the checkout process - Allows cashier to check the note value	anthracite, RAL 7021	+	+	+	+	+	08031.003-0020
	Note holder, plastic, adhesive - Holds notes until the end of the checkout process - Allows cashier to check the note value	light grey, RAL 9002	+	+	+	+	+	08031.003-0050
	Money insert, lockable, hinged - Spare part for e.g. second cashier employee - Plug lock required (order number: 99019.156-0000)	anthracite, RAL 7021	–	–	–	–	+	08512.435-0020
	Coin insert	anthracite, RAL 7021	–	–	–	–	+	08512.445-0020
	Separator for coin compartment, sidewise	anthracite, RAL 7021	–	–	–	–	+	08512.447-0020
	Separator for coin compartment, sidewise	anthracite, RAL 7021	–	–	–	–	+	08512.448-0020
	Separator for note compartment - Additional note compartment that plugs into the note holder to separate the existing note compartment - Notes above and below separator	–	–	–	–	–	+	08512.449-0000
	Inkiess coin insert - Supports coin trays - Coin sorter - Value is indicated to the side	–	–	–	–	–	+	08512.456-0000

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Component parts and options for cash cassettes and drawers

	Product description	Colour	Can be used for: Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Coin insert	anthracite, RAL 7021	–	–	–	–	+	08512.457-0020
	Bracket for under-desk mounting - Please order 2 brackets	–	–	–	–	–	+	08512.465-0000
	Security lock set - Additional security by assigning a security lock to a cashier	–	–	–	+	–	+	08512.497-0000
	Coin cup set for coin insert - Modified coin insert for UCC and UCD - For coin cups (order number: 08512.580-0020)	anthracite, RAL 7021	–	–	+	–	+	08512.571-0020
	Coin cup for single coin compartments - tare weight	anthracite, RAL 7021	–	–	+	–	–	08512.580-0020
	Separator for note compartment - Additional note compartment that plugs into the note to separate the existing note compartment - Notes above and below separator	–	–	+	–	–	–	16101.127-0000
	Separator for coin insert	anthracite, RAL 7021	+	–	–	–	–	16101.160-0020
	Separator for coin insert	light grey, RAL 9002	+	–	–	–	–	16101.160-0050
	Cassette opening manual - for back office - opens the cash cassette if the cashier has no key or the cassette has no lock	–	–	+	–	+	–	16101.221-0000

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Component parts and options for cash cassettes and drawers			Can be used for					
	Product description	Colour	Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Cassette opening manual - for back office - opens the cash cassette if the cashier has no key or the cassette has no lock	–	+	–	–	–	–	16101.238-0000
	Coin insert	anthracite, RAL 7021	+	–	–	–	–	16101.274-0120
	Coin insert	light grey, RAL 9002	+	–	–	–	–	16101.274-0150
	Cassette opener station - opens the cash cassette if the cashier has no key or the cassette has no lock	–	+	+	–	+	–	16101.420-0000
	Inkiess coin insert - Supports coin trays - Coin sorter - Value is indicated to the side	–	+	–	–	–	–	16101.473-0000
	Mounting frame / Installation frame	–	–	+	–	+	–	16102.072-0000
	Mounting frame / Installation frame	–	+	–	–	–	–	16102.076-0000
	Mounting frame set / Installation frame set	–	–	–	+	–	–	16102.080-0000
	Note compartment	anthracite, RAL 7021	–	–	+	–	–	16400.370-0020

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Component parts and options for cash cassettes and drawers			Can be used for					
	Product description	Colour	Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Separator for note compartment	anthracite, RAL 7021	–	–	+	–	–	16400.372-0020
	Coin compartment	anthracite, RAL 7021	–	–	+	–	–	16400.375-0020
	Separator for coin compartment	anthracite, RAL 7021	–	–	+	–	–	16400.377-0020
	Coin cup for single coin compartments - tare weight	anthracite, RAL 7021	–	–	+	–	–	16400.380-0020
	PC-Cashcontrol (RS232 interface) - Control cash cassettes and drawers via PC	light grey, RAL 9002	+	+	+	+	+	42100.035-0000
	USB-Cashcontrol (USB interface) - Control cash cassettes and drawers via USB	light grey, RAL 9002	+	+	+	+	+	42700.022-0000
	Note holder stainless, adhesive - Hold notes until the end of the checkout process - Allows cashier to check the note value	–	+	+	+	+	+	56100.050-0100
	Security plug lock with 2 keys - Safeguard against unauthorised access - 2000 different closures - Closure assigned to user (cashier/operator) - For retrofitting cash cassettes and drawers	–	+	–	–	+	+	99019.156-0000

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Connection Cable for Cash Cassettes and Drawers

		Can be used for					
	Product description	Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Connection cable DIN 5-pin, 0.3 m	+	+	+	–	+	08512.471-0000
	Connection cable DIN 5-pin, 1.0 m	+	+	+	–	+	09720.271-0001
	Connection cable DIN 5-pin, 3.0 m	+	+	+	–	+	09720.271-0003
	Connection cable DIN 5-pin, 5.0 m	+	+	+	–	+	09720.271-0005
	Connection cable IBM-SDL-St., 6-pin, SDL 4, 3.2 m - Old version - Successor product: order number 16102.003-1000	+	+	+	–	+	09720.280-0000
	Connection cable RJ12, DIN 5-pin, 1.0 m	+	+	+	–	+	16101.246-0000
	Connection cable RJ12, DIN 5-pin, 5.0 m	+	+	+	–	+	16101.246-0002
	Connection cable RJ12, Epson printer, DIN 5-pin, 2.0 m	+	+	+	–	+	16101.246-0003
	Connection cable RJ12, black, Epson printer, tilted, 1.0 m	+	+	+	+	+	16102.001-1001
	Connection cable RJ12, black, Epson printer, tilted, 2.0 m	+	+	+	+	+	16102.001-1002
	Connection cable RJ12, black, Epson printer, tilted, 3.0 m	+	+	+	+	+	16102.001-1003

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Connection cable for cash cassettes and drawers		Can be used for					
	Product description	Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Connection cable RJ12, DIN 5-pin, tilted, 1.0 m	+	+	+	+	+	16102.002-1001
	Connection cable RJ12, DIN 5-pin, tilted, 2.0 m	+	+	+	+	+	16102.002-1002
	Connection cable RJ12, DIN 5-pin, tilted, 3.0 m	+	+	+	+	+	16102.002-1003
	Connection cable IBM-SDL-St., 6-pin, SDL 4, 3.2 m - New version - Successor product: order number 09720.280-0000	+	+	+	+	+	16102.003-1000
	Connection cable IBM-SDL-St., 6-pin, SDL 4, 5.0 m - New version - Successor product: order number 09720.280-0000	+	+	+	+	+	16102.003-1005
	Connection cable TC 4616, with special diode to connect to MICROS systems, 5-pin/4-pin, 1.0 m	+	+	+	+	+	16102.004-0000
	Connection cable TC 4616, with special diode to connect to MICROS systems, 5-pin/4-pin, 4.0 m	–	–	–	+	–	16102.004-1004
	Connection cable PS2, TC 4616, with special diode to connect to Wincor Nixdorf interface, 6-pin, 2.0 m	–	–	–	+	–	16102.005-1002
	Connection cable PS2, TC 4616, with special diode to connect to Wincor Nixdorf interface, 6-pin, 3.0 m	–	–	–	+	–	16102.005-1003
	Connection cable PS2, TC 4616, with special diode to connect to Wincor Nixdorf interface, 6-pin, 5.0 m	–	–	–	+	–	16102.005-1005
	Connection cable, TC 4616, with special diode to connect to Sharp systems, 5-pin, Molex k-k-friction, 2.5 mm, 3-pin, 2.0 m	–	–	–	+	–	16102.007-0000

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Connection cable for cash cassettes and drawers		Can be used for					
	Product description	Euro Cash Cassette	Standard Cash Cassette	Universal Cash Cassette (UCC)	Cash Cassette TC 4616	Universal Cash Drawer (UCD)	Order number
	Connection cable for IBM 4610 (printer), 5-pin, RJ12 6-pin, 1.0 m	+	+	+	+	+	16102.090-1001
	Connection cable for IBM 4610 (printer), 5-pin, RJ12 6-pin, 3.0 m	+	+	+	+	+	16102.090-1003
	Connection cable for cash cassette Aures POSEO 5200, 5-pin / RJ12 6-pin, 3.0 m	+	+	+	+	+	16102.091-1003
	Connection cable adaptor 1:1 diode male/female, 0.2 m (extension), 5-pin, DIN connector 5-pin	+	+	+	+	+	16102.092-0000
	Connection cable adaptor MINIDIN 6 (PS2) 1:1 male/female, 0.2 m (extension), 6-pin	+	+	+	+	+	16102.096-0000

© Copyright 2013 MICROS Systems, Inc. All rights reserved.

Find out more about how MICROS can help you grow

Get in touch with us for more information or to schedule a demo and consultation appointment: de-marketing.retail@micros.com.

Consider MICROS

MICROS Systems, Inc. provides leading enterprise-wide applications, services and hardware for the hospitality and retail industries. The portfolio includes all software and hardware components, complemented by a unique support and service concept. More than 567,000 customers in over 180 countries rely on solutions from MICROS. MICROS combines its industry knowledge and expertise to provide cloud-based, mobile and on premise solutions that allow its clients to streamline operations and successfully engage their customers. MICROS applications include POS, business intelligence, eCommerce, loyalty, CRM, loss prevention, workforce management, inventory management, and merchandise planning solutions. MICROS services include hosting and SaaS, platform implementation and integration, strategic business consulting and managed services.

MICROS Retail Deutschland GmbH
Salzufer 8
10587 Berlin
Phone: +49 (0)30 49901-0
Fax: +49 (0)30 49901-139
E-mail: de-marketing.retail@micros.com

www.micros-retail.de

micros®, micros-fidelio® and micros-retail® are registered trademarks of MICROS Systems, Inc. Certain product and company names appearing here may be the trademarks or service marks owned and/or registered by third parties. All other product and brand names are the property of their respective owners © Copyright MICROS Systems, Inc. All rights reserved.